
#### mediterraneo sur<u>faces</u>



V KON




MEDITERRANEO PORCELAIN surfaces are produced using cutting edge technology of the ceramics industry. The advanced production processes used, convey to the slabs excellent technical characteristics while respecting the enviroment.

MEDITERRANEO PORCELAIN patterns have been selected with the utmost attention to render the true beauty of natural stone on the porcelain surface. Every slab has a perfect look, meeting the needs of both contemporary design and classic taste.

## .contents



.classic collection p. 6 .luxury collection p. 58 .properties p. 114






#### mediterraneo. classic collection



Mediterraneo Porcelain 4.0 Classic Collection is our range of fine porcelain surfaces, designed to pair cutting edge production processes and superior technical characteristics with the ageless charme and elegance of classic materials.



#### bianco carrara







### calacatta borghini

THICKNESS: 20mm, 12mm FINISHES: polished, honed

10



#### macchia antica





#### dolomite extra





#### cremo delicato


6





#### calacatta caldia






## calacatta vagli







#### statuario classic





#### aria montblanc






#### bianco lasa





#### bianco rhino





#### superwhite





# taj mahal

THICKNESS: 12mm FINISHES: polished, honed

and the second



#### arabescato corchia





#### travertino silver

#### THICKNESS: 12mm FINISHES: natural



A CONTRACTOR DECARD PROPERTY OF SECOND CONTRACTOR

37

# invisible grey

. . . . . . .

THICKNESS: 12mm FINISHES: polished, honed

11





# white beauty








#### palissandro bluette





#### basaltina

44

THICKNESS: 20mm FINISHES: natural






# pietra grey





#### zebrino









ceppo grey


#### THICKNESS: 12mm FINISHES: natural





# portland grey





#### absolute black





#### sahara noir











#### mediterraneo luxury collection




Mediterraneo Porcelain 4.0 Luxury Collection is where the striking colors of the most exotic materials meet the sturdyness of the porcelain slabs produced with the latest technologies.





















### onyx black





vibe green






# atlantic grey





# tiffany green





## thassos pure white

THICKNESS: 20mm, 12mm FINISHES: polished, honed, natural






## antarctica white






#### baobab sodalite

THICKNESS: 12mm FINISHES: polished, honed





# noir grand antique THICKNESS: 12mm






### sodalite blue





### blue de savoie












## panda white





## cristallo white





#### avatar blue





#### four seasons







## dreaming green




96



## cristallo azure





## white princess






## swiss alps







## tahiti

104





## fusion blue






## cristallo rosè






# calacatta viola








# emerald green

6





# soapstone black





# calacatta ming


















### .mediterraneo properties



Mediterraneo Porcelain products are made using the latest technologies and the highest quality standards to guarantee the utmost quality in each slab.



# comparisons

		MEDITERRANEO PORCELAIN	QUARTZ AGGLOMERATES	LAMINATES AND WOOD	NATURAL STONES
safe for	contact with food	•••	•••	•	•
water a	nd moisture proof	•••	•••	•	••
stainpro	of	•••	••	••	•
•• ••• •••	roof	•••	•••	•	••
	al resistance	••	••	•	•
scratch	and impact resistance	•••	••	••	••
UV resis	tance	•••	••	••	••
heat/fro	st resistance	•••	••	•	••



### tech data

#### PORCELAIN STONEWARE SLABS - GRUPPE BLA UGL (UNI EN 14411\_G)

	<b>ESTABLISHED LIMITS</b>	Mediterraneo Values	NORMS	
Lenghth and Width	±0,6%	±0,9 mm	UNI EN ISO 10545-2	
Thickness	±5%	±3%		
Edge Straightness	±0,5% ±0,6 mm			
Rectangularity	±0,6%	±2 mm		
Planarity	±0,5%	Compliant		
Surface Quality	>95%	Compliant		
Water Absorption	<0,5%	<0,1%	UNI EN ISO 10545-3	
	-	0,1% average value	ASTM C373	
Bending Strenght	modulus of rupture			
	>35 N/mm <sup>2</sup>	>45 N/mm <sup>2</sup>	UNI EN ISO 10545-4	
Frost Resistance	Resistant	Frost Proof	UNI EN ISO 10545-12	
Resistance to Thermal Shock	Resistant	Resistant	UNI EN ISO 10545-9	
Deep Abrasion Resistance	<175 mm <sup>3</sup>	<145 mm <sup>3</sup>	UNI EN ISO 10545-6	
Colour Resistance to Light Exposure	Resistant	Resistant	DIN 51094	
Chemical Resistance	UB minimum	UA; ULA; UHA	UNI EN ISO 10545-13	
Stain Resistance	Class 3 minimum	Class 3-5	UNI EN ISO 10545-14	
Fire Reaction	Resistant	Resistant	EN 13501 (REV.2005)	

# certifications

	MEDITERRANEO VALUES	NORMS
	(Polished 12mm)	
Density	2500 kg/m <sup>3</sup> average value	EN 14617-1 - ASTMC97
Water Absorption	0,1% average value	EN 14617-1
Bending Strenght	50 MPa average value	EN 14617-2
Frost Resistance	Resistant	EN 14617-5
Dry Heat Resistance	5	EN 12722
	No Visible Effects Until 200°C	EN 438-2 par. 16
Chemical Resistance	Class A to C	ISO 10545-13
	Resistant	ASTM C650
Cold Liquid Resistance	Class 5 to 2	EN 12720
Cleaner Products Resistance	Class 5 to 3	PTP 53 CATAS
Abrasion Resistance	28,0 mm	EN 14617-4
Hygiene Properties	Excellent	CATAS
Resistance to Fungus	No Fungal Growth	ASTM G21
Lead and Cadmium Given Off	0 mg/dm <sup>3</sup>	ISO 10545-15

# certifications

	MEDITERRANEO VALUES	NORMS
	(Polished 12mm)	
Overall Migration	0 mg/dm <sup>2</sup>	UNI EN 1186
VOC emissions	Class A+	UNI EN 16000-9
Shock Resistance	No Damage to Ball Drop 400 mm	ISO 4211-4
	3 J Average Value	EN 14617-6
Light Resistance	5 No visible effect	UNI EN 15187
Thermal Shock Resistance	Resistant	EN 14617-6
Resistance to Staining	Resistant (except KOH)	ASTMC1378

#### 



#### mediterraneo sur<u>faces</u>

PORCELAIN 4.0 Collection www.mediterraneosurface.com info@mediterraneosurface.com